



## Health Department

Tom Barrett  
Mayor

Bevan K. Baker, FACHE  
Commissioner of Health

Sandra J. Rotar  
Health Operations Administrator

[www.milwaukee.gov/health](http://www.milwaukee.gov/health)

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

## Routine Food

V & J FOODS, INC  
BURGER KING  
6544 N 76TH ST  
MILWAUKEE, WI

**2/4/2016**

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

**Fee Amount:**  
**\$107.00**

### CDC Risk Code Factor Violation(s)

Code Number	Description of Violation	Correct By
Cross Contamination		
3-302.11	A) Raw bacon stored above RTE food items. B) food items were stored on the floor of walk-in. Food must be protected from cross-contamination. COS REPEAT VIOLATION	2/4/2016
4-601.11	Soda dispenser in the customer area has mold and slime build up behind nozzles and in ice chute. All food contact equipment and utensils must be clean. Clean, sanitize and maintain all food contact surfaces. COS	2/4/2016
Personal Hygiene		
5-205.11	Pickles were found in the rear hand washing sink adjacent to the walk-in unit. A HANDWASHING SINK may not be used for purposes other than handwashing. COS	2/4/2016

**CDC Risk Violation(s):** 3

### Good Retail Practice Violations(s)

Code Number	Description of Violation	Correct By
4-501.11	A) Light bulb missing in walk-in freezer. Repalce B) Time as a control unit for food prep area is not functioning. Repair. Use an alternative method to time stamp food items until repairs can be made. REPEAT VIOLATION	2/4/2016



Tom Barrett  
Mayor

Bevan K. Baker, FACHE  
Commissioner of Health

Sandra J. Rotar  
Health Operations Administrator

## Health Department

[www.milwaukee.gov/health](http://www.milwaukee.gov/health)

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

4-901.11

Plastic bins were stacked while wet. Utensils must be air dried after washing and sanitizing.

2/4/2016

**Good Practice Violation(s):** 2

**Total Violations:** 5

### Notes:

CFM Earnest Wallace exp 2018

Extended hours license valid 4/30/16

Food Dealer Restaurant license on premises expired 6/30/15. Contact city clerk for a copy of the current license and post in establishment.

On 2/4/2016, I served these orders upon V & J FOODS, INC by leaving this report with

Inspector Signature (Inspector ID:114)

Operator Signature